




ZHEJIANG SHININGLION TECHNOLOGY CO.,LTD.



ZHEJIANG SHININGLION TECHNOLOGY CO.,LTD.

Add: NO.11,MIAOHE ROAD,WUHANG,YUNHE,LINPING DISTRICT,
HANGZHOU CITY,ZHEJIANG PROVINCE, CHINA

Factory address:NO.8, SHANGSHENG ROAD, QIANYUAN TOWN, DEQING,
HUZHOU CITY, ZHEJIANG PROVINCE, CHINA

P.O. BOX: 311102

Tel: 0571-87677809/0572-8200011

E-mail: sales@shlion.net

Website: www.shlion.net

**Professional Manufacturer of Medical
and Homecare Furniture**

COMPANY PROFILE

Zhejiang Shininglion Technology Co.,Ltd was founded in year 2010. The factory is located on north of Hangzhou city, with over 12,000 square meters of floor space and about 10,000 square meters of plant area.

The company has a young and vibrant, vigorous and passionate team. The core value of team lies in intelligence and endeavor. The core competence lies in invention and innovation.

So far Shlion equips with professional and advanced production facility. Complying with international standard, our company set up a well-organized manufacturing technique and strict inspection criteria. Every part, every detail, every process has been payed close attention to in the production process. An elaborated procedure has been invented. Shlion will continue building up the brand in this industry. In return we will design and develop more high-tech products as well as patented products for the society.

From the very first upon it s establishment, Shlion has this as it s long term objective-improve the company s service to improve life quality of people. Under the direction of“improve products together with brand, courage sale in domestic as well as overseas market, combine traditional and high-tech industry”,Shlion adhere to innovation and scientific development, making“Creativity, Brand, Harmony”and“Integrity, Civilization, Responsibility”as the mission.

Today Shlion has hospital furniture for adults and children, electric or manual, covering medical and home care. Providing customized, environment-friendly and professional solution to our clients is our goal. Besides the good domestic market, the products have been exported to Europe, Oceania, Southeast Asia, Middle East, Africa, wining heart of global valued clients.



ZHEJIANG SHINGLION TECHNOLOGY CO.,LTD.

Qualification & honor



Office





Production equipment



Testing equipment



Production workshop & show room



CONTENTS

Electric medical bed series	07-20
Manual medical bed series	21-29
Examination room series	30-31
Medical trolley series	32-37
Supporting facility	38-40
Cases real pictures	41
Client list in China Market	42

SLD-A91-112

ELECTRIC MEDICAL BED



75°±5° Backrest	40°±5° Legrest	510-910 mm Height adjustment	15° ±2° Trendelenburg	15° ±2° Reverse trendelenburg	15° ±2° Tilt	15° ±2° Tilt	L: 2140mm W: 1050mm
X-ray Applicable for C-arm	0-200mm Length extension	LED Night lamp	CPR Electric & Manual	Angle indicator	100+60mm Auto regression	S.W.L 250kg	Weight scale
Backup battery	Exit alarm	Exit position by one button	Examination position by one button	Reverse Trendelenburg by one button	Cardiac chair position by one button	30° Semi recumbent position	

Selling Point

- ★ X-ray radiolucent on backrest
- ★ Double auto regression
- ★ Bed length extension
- ★ Electronic brake
- ★ Foot control pedal for height, TR& Reverse TR
- ★ Embedded control button on two sides of the siderails at backrest
- ★ 7 inches touch screen at foot board, with mechanical lock key

Standard Configuration

✓ Linear motor	4 pcs
✓ Column motor	2 pcs
✓ Control box	1 pc
✓ Frame	1 pc
✓ Compact grade laminate mattress platform	4 pcs
✓ Plastic siderail with embedded control panel	1 set
✓ Plastic head board and foot board with embedded 7"touch screen	1 set
✓ Ø125mm central locking castor	4 pcs
✓ Electronic brake	
✓ Bumper wheel	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs
✓ Mattress stopper	3 pcs

SLD-A51-112 (12A4)

ELECTRIC MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

450-750 mm
Height
adjustment

15° ±2°
Trendelenburg

15°±2°
Reverse
trendelenburg

L : 2140mm
W: 1050mm

LED
Night lamp

CPR
Electric & Manual

Angle indicator

100+60mm
Auto regression

S.W.L
250kg

Backup battery

Examination
position
by one button

Reverse
Trendelenburg
by one button

Cardiac chair
position by
one button

30°
Semi recumbent
position

Standard Configuration

✓ Linear motor	4 pcs
✓ Control box	1 pc
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Plastic siderail with embedded control panel	1 set
✓ Plastic head board and foot board with embedded 7" touch screen	1 set
✓ Ø125mm central locking castor	4 pcs
✓ Bumper wheel	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs

Optional Configuration

- ☐ X-ray radiolucent backrest
- ☐ Weighing system
- ☐ Bed extension

SLD-A51-112 (12A2)

ELECTRIC MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

450-750 mm
Height
adjustment

15° ±2°
Trendelenburg

15°±2°
Reverse
trendelenburg

L : 2140mm
W: 1050mm

LED
Night lamp

CPR
Electric

Angle indicator

100+60mm
Auto regression

S.W.L
250kg

Backup battery

Cardiac chair
position by
one button

Standard Configuration

✓ Linear motor	4 pcs
✓ Control box	1 pc
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Plastic siderail with embedded control panel	1 set
✓ Plastic head board and foot board with embedded control panel	1 set
✓ Ø125mm central locking castor	4 pcs
✓ Bumper wheel	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs

Optional Configuration

- ☐ X-ray radiolucent backrest
- ☐ Manual CPR
- ☐ Bed extension

SLD-A51-112 (17A1)

ELECTRIC MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

450-750 mm
Height adjustment

15° ±2°
Trendelenburg

15° ±2°
Reverse trendelenburg

L : 2140mm
W: 1050mm

CPR
Electric

Angle indicator

100mm
Auto regression

S.W.L
250kg

Standard Configuration

✓ Linear motor	4 pcs
✓ Control box	1 pc
✓ Hand controller	1 pc
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Plastic siderail	1 set
✓ Plastic head & foot board	1 set
✓ Ø125mm central locking castor	4 pcs
✓ Bumper wheel	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs

Optional Configuration

☐ Manual CPR
☐ Weighing system
☐ Bed extension

SLD-A51-112 (17A2)

ELECTRIC MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

450-750 mm
Height adjustment

15° ±2°
Trendelenburg

15° ±2°
Reverse trendelenburg

L : 2140mm
W: 1050mm

CPR
Electric

Angle indicator

100mm
Auto regression

S.W.L
250kg

Backup battery

Standard Configuration

✓ Linear motor	4 pcs
✓ Control box	1 pc
✓ Hand controller	1 pc
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Plastic siderail with embedded control panel	1 set
✓ Plastic head board and foot board with hanging control panel	1 set
✓ Ø125mm central locking castor	4 pcs
✓ Bumper wheel	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs

Optional Configuration

☐ Manual CPR
☐ Weighing system
☐ Bed extension

SLD-A51-112 (15A2)

ELECTRIC MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

450-750 mm
Height adjustment

15° ± 2°
Trendelenburg

15° ± 2°
Reverse trendelenburg

L : 2140mm
W: 1050mm

CPR
Electric

Angle indicator

100+60mm
Auto regression

S.W.L
250kg

Standard Configuration

✓ Linear motor	4 pcs
✓ Control box	1 pc
✓ Hand controller	1 pc
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Plastic siderail	1 set
✓ Plastic head & foot board	1 set
✓ Ø125mm central locking castor	4 pcs
✓ Bumper wheel	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs

Optional Configuration

- ☐ X-ray radiolucent backrest
- ☐ Manual CPR
- ☐ Bed extension

SLD-A51-112 (16A1)

ELECTRIC MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

450-750 mm
Height adjustment

15° ± 2°
Trendelenburg

15° ± 2°
Reverse trendelenburg

L : 2140mm
W: 1050mm

CPR
Electric

Angle indicator

100+60mm
Auto regression

S.W.L
250kg

Standard Configuration

✓ Linear motor	4 pcs
✓ Control box	1 pc
✓ Hand controller	1 pc
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Plastic siderail	1 set
✓ Plastic head board and foot board with hanging control panel	1 set
✓ Ø125mm central locking castor	4 pcs
✓ Bumper wheel	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs

Optional Configuration

- ☐ X-ray radiolucent backrest
- ☐ Manual CPR
- ☐ Weighing system
- ☐ Bed extension

SLD-A51-112 (3B)

ELECTRIC MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

450-750 mm
Height
adjustment

15° ± 2°
Trendelenburg

15° ± 2°
Reverse
trendelenburg

L : 2140mm
W: 1050mm

Angle indicator

S.W.L
250kg

Standard Configuration

☒	Linear motor	4 pcs
☒	Control box	1 pc
☒	Hand controller	1 pc
☒	Frame	1 pc
☒	One step forming steel mattress platform	4 pcs
☒	Plastic siderail	1 set
☒	Plastic head & foot board	1 set
☒	Ø125mm central locking castor	4 pcs
☒	Bumper	4 pcs
☒	IV pole provision	4 pcs
☒	Drainage hook	4 pcs

Optional Configuration

☐	Electric CPR
☐	Manual CPR
☐	Weighing system
☐	Bed extension

SLD-A51-112 (3C)

ELECTRIC MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

450-750 mm
Height
adjustment

15° ± 2°
Trendelenburg

15° ± 2°
Reverse
trendelenburg

L : 2140mm
W: 1050mm

Angle indicator

S.W.L
250kg

Standard Configuration

☒	Linear motor	4 pcs
☒	Control box	1 pc
☒	Hand controller	1 pc
☒	Frame	1 pc
☒	One step forming steel mattress platform	4 pcs
☒	Plastic siderail	1 set
☒	Plastic head & foot board	1 set
☒	Ø125mm central locking castor	4 pcs
☒	IV pole provision	4 pcs
☒	Drainage hook	4 pcs

Optional Configuration

☐	Electric CPR
☐	Manual CPR
☐	Weighing system
☐	Bed extension

SLD-A51-111

ELECTRIC MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

410-725 mm
Height
adjustment

15° ± 2°
Trendelenburg

15° ± 2°
Reverse
trendelenburg

L : 2140mm
W: 960mm

S.W.L
250kg

Standard Configuration

✓ Linear motor	4 pcs
✓ Control box	1 pc
✓ Hand controller	1 pc
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Six column aluminum siderail	2 pcs
✓ Plastic head & foot board	1 set
✓ Ø125mm central locking castor	4 pcs
✓ Bumper	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs

Optional Configuration

☐ Electric CPR
☐ Manual CPR
☐ Weighing system
☐ Bed extension

SLD-A31-111 (A1)

ELECTRIC MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

410-740mm
Height
adjustment

L : 2140mm
W: 960mm

S.W.L
250kg

Standard Configuration

✓ Linear motor	4 pcs
✓ Control box	1 pc
✓ Hand controller	1 pc
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Six column aluminum siderail	2 pcs
✓ Plastic head & foot board	1 set
✓ Ø125mm central locking castor	4 pcs
✓ Bumper	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs

Optional Configuration

☐ Electric CPR
☐ Manual CPR
☐ Weighing system
☐ Bed extension

SLD-A31-111 (A2)

ELECTRIC MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

410-740 mm
Height
adjustment

L : 2140mm
W: 960mm

S.W.L
250kg

Standard Configuration

✓ Linear motor	4 pcs
✓ Control box	1 pc
✓ Hand controller	1 pc
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Six column aluminum siderail	2 pcs
✓ Plastic head & foot board	1 set
✓ Ø125mm universal castor with brake	4 pcs
✓ Bumper	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs

Optional Configuration

☐ Electric CPR
☐ Manual CPR
☐ Weighing system
☐ Bed extension

SLD-A21-111 (A1)

ELECTRIC MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

500 mm
Height

L : 2140mm
W: 960mm

S.W.L
250kg

Standard Configuration

✓ Linear motor	2 pcs
✓ Control box	1 pc
✓ Hand controller	1 pc
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Six column aluminum siderail	2 pcs
✓ Plastic head & foot board	1 set
✓ Ø125mm universal castor with brake	4 pcs
✓ Bumper	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs

SLS-A31-111(A1)

MANUAL MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

405-720 mm
Height
adjustment

L : 2140mm
W: 960mm

S.W.L
250kg

Standard Configuration

✓ Crank	3 pcs
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Six column aluminum siderail	2 pcs
✓ Plastic head & foot board	1 set
✓ Ø125mm universal castor with brake	4 pcs
✓ Bumper	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs

SLS-A31-111(A3)

MANUAL MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

405-720 mm
Height
adjustment

L : 2140mm
W: 960mm

S.W.L
250kg

Standard Configuration

✓ Crank	3 pcs
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Six column aluminum siderail	2 pcs
✓ Plastic head & foot board	1 set
✓ Ø125mm central locking castor	4 pcs
✓ Bumper	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs
✓ Storage shelf	1 pc

SLS-A21-111(A1)

MANUAL MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

500 mm
Height

L : 2140mm
W: 960mm

S.W.L
250kg

Standard Configuration

✓ Crank	2 pcs
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Six column aluminum siderail	2 pcs
✓ Plastic head & foot board	1 set
✓ Ø125mm universal castor with brake	4 pcs
✓ Bumper	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs

SLS-A21-111(A2)

MANUAL MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

500 mm
Height

L : 2140mm
W: 960mm

S.W.L
250kg

Standard Configuration

✓ Crank	2 pcs
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Six column aluminum siderail	2 pcs
✓ Plastic head & foot board	1 set
✓ Ø125mm central locking castor	4 pcs
✓ Bumper	4 pcs
✓ IV pole provision	4 pcs
✓ Drainage hook	4 pcs
✓ Storage shelf	1 pc

SLS-D30-1

MANUAL MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

500 mm
Height

L : 2180mm
W: 960mm

S.W.L
250kg

Standard Configuration

✓ Crank	3 pcs
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Six column aluminum siderail	2 pcs
✓ Plastic head & foot board	1 set
✓ Ø125mm central locking castor	4 pcs
✓ Bumper	4 pcs
✓ Traction frame	1 set
✓ Lifting handle	2 pcs
✓ Drainage hook	4 pcs
✓ Storage shelf	1 pc

SLS-D30-2

MANUAL MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

500 mm
Height

L : 2180mm
W: 960mm

S.W.L
250kg

Standard Configuration

✓ Crank	2 pcs
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Six column aluminum siderail	2 pcs
✓ Plastic head & foot board	1 set
✓ Ø125mm central locking castor	4 pcs
✓ Bumper	4 pcs
✓ Traction frame	1 set
✓ Lifting pole	1 set
✓ Lifting handle	2 pcs
✓ Drainage hook	4 pcs
✓ Storage shelf	1 pc

SLS-B21 (A1)

MANUAL MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

630 mm
Height

L : 1890mm
W: 900mm

S.W.L
250kg

Standard Configuration

✓ Crank	2 pcs
✓ Frame	1 pc
✓ Steel mattress platform	4 pcs
✓ Steel siderail	2 pcs
✓ Plastic head & foot board	1 set
✓ Ø100mm universal castor with brake	4 pcs
✓ IV pole provision	4 pcs
✓ IV pole	1 pc
✓ Storage shelf	1 pc

SLS-B21 (A2)

MANUAL MEDICAL BED



75°±5°
Backrest

40°±5°
Legrest

500 mm
Height

L : 2140mm
W: 950mm


S.W.L
250kg

Standard Configuration

✓ Crank	2 pcs
✓ Frame	1 pc
✓ One step forming steel mattress platform	4 pcs
✓ Steel siderail	2 pcs
✓ Plastic head & foot board	1 set
✓ Ø125mm central locking castor	4 pcs
✓ Bumper	4 pcs
✓ Drainage hook	4 pcs
✓ Storage shelf	1 pc

SLS-C11

MANUAL MEDICAL BED



Standard Configuration

✓ Frame	1 pc
✓ Bassinet	1 pc
✓ Mattress	1 pc
✓ Tilt adjustment handle	1 pc
✓ Ø100mm universal castor with brake	4 pcs
✓ Storage shelf	1 pc

Examination room series



SLS-E10

Examination bed

- Outerdimension:1875*620*740 mm
- Backrest adjustment angle: 0-50°



SLS-E00

Examination bed

- Outer dimension:1875*620*740mm

Examination room series



SL-E25
Ward screen



SL-E28
Ward screen



SL-E47
Infusion stand



SL-E53
Infusion stand



SL-E26
Step stool



SL-E27
Step stool

Medical trolley series



SL-F01 A
Medical trolley
● Outer dimension: 1920*700*(530-820)mm



SL-F01 B
Medical trolley
● Outer dimension: 1930*660*(510-850)mm



SL-F03 A3
Medical trolley

● Outer dimension: 2130*760*(560-890)mm



SL-F03 A4
Medical trolley

● Outer dimension: 2130*760*(560-890)mm



SL-F25

Medical trolley

● Outer dimension: 1040*560*1400mm



SL-F29

Medical trolley

● Outer dimension: 1040*510*990mm



SL-F30

Medical trolley

● Outer dimension: 460*420*(750-1050)mm



SL-F36

Medical trolley

● Outer dimension: φ600*1050mm

Medical trolley series



SL-F07

Medical trolley

● Outer dimension: 620*470*900mm



SL-F05

Medical trolley

● Outer dimension: 630*475*920mm



SL-F09-3

Medical trolley

● Outer dimension: 850*480*975 mm



SL-F10-1

Medical trolley

● Outer dimension: 750*475*930mm



SL-F08

Medical trolley

● Outer dimension: 630*475*920mm



SL-F09-2

Medical trolley

● Outer dimension: 750*475*930mm



SL-F12

Medical trolley

● Outer dimension: 750*475*930mm



SL-F18-1

Medical trolley

● Outer dimension: 800*590*890mm

Medical trolley series



SL-F20-2

Medical trolley

• Outer dimension: 750*410*960mm



SL-F24

Medical trolley

• Outer dimension: 960*550*870mm



SL-F15

Medical trolley

• Outer dimension: 600*400*940mm



SL-F17

Medical trolley

• Outer dimension: 770*430*890mm

Supporting facility



SL-G01

Bedside cabinet



SL-G02

Bedside cabinet



SL-G03

Bedside cabinet



SL-G04

Bedside cabinet



SL-P02
Mattress



SL-P03
Mattress



SL-P05
Mattress



SL-P07
Mattress



SL-L01
Movable table



SL-L08
Movable table



SL-L09
Medical table



SL-L04
Overbed table

Cases real pictures



Client list in China Market

- 温州医学院附属第一医院
- 嘉兴市第二医院
- 海军军医大学第一附属医院(上海长海医院)
- 浙江大学金华医院(金华市中心医院)
- 浙江省新华医院浙江中医药大学附属第二医院
- 新疆医科大学第一附属医院
- 新疆昌吉回族自治州人民医院
- 皖南医学院附属弋矶山医院
- 安徽省立儿童医院
- 解放军联勤保障部队第900医院
- 六安市中医院
- 江苏省人民医院
- 重庆市大足区人民医院
- 台州市黄岩区中医院
- 金华市金东区第二人民医院
- 重庆市江津区中心医院
- 杭州华立医院
- 杭州爱德医院
- 淮南新康医院
- 宿州市中医院
- 歙县人民医院
- 海南省琼海市妇幼保健院
- 四川省凉山州布拖县人民医院
- 四川省巴中市平昌县妇幼保健院
- 渭南市合阳县医院
- 湖北荆州公安县人民医院
- 上海第十人民医院
- 黑龙江佳木斯中医医院
- 重庆市大足区第三人民医院
- 深圳伟光医院
- 太平人寿(上海)梧桐人家康复医院
- 嘉兴市秀洲区人民医院
- 嘉兴市王店人民医院
- 湖州市第六医院
- 杭州种福堂中医医院
- 浙江省宁海县第三医院
- 绿城双慈医院
- 浙江省舟山市定海区中心医院
- 丽水市青田县中医院
- 丽水市庆元县中医院
- 台州市仙居县中医院
- 江阴博医学康复医院
- 德清县中医院
- 安徽省阜阳市第四人民医院
- 嘉兴市秀洲区新胜医院
- 太仓中医院
- 杭州市富阳区第一医院
- 四川省南充市中心医院
- 海南省琼海市人民医院
- 四川省彭州市中医院
- 四川省达州市人民医院
- 四川广元市第一人民医院
- 芜湖市海螺医院
- 福州市中医院
- 海军安庆医院
- 长沙市中心医院
- 南京市江宁中医院
- 萧山区第一人民医院
- 萧山区第二人民医院
- 萧山区第三人民医院
- 福州市长乐区医院
- 仙居县人民医院
- 衢州十里丰监狱医院
- 永康市中医院
- 邵逸夫医院康复医学科杭州天目山医院
- 四川省北川羌族自治县中羌医医院